


L-Shaped Grill Station - w/o Seating

3-Pallet Design






Grill Station Back Isometric

Outdoor Grill Station Quantity Totals:

Stonegate Unit quantities as follows:

- Large Unit "A" - 16"/14" = 56 Units
- Medium Unit "B" - 12"/10" = 56 Units
- Small Unit "C" - 6"/4" = 57 Units

For **Accessories** - see page 2




Grill Station Front Isometric

General Note:


In consideration of freeze / thaw issues during the cold weather season it is recommended that this outdoor Built-In Grill Station element be protected from rain, snow and ice as necessary.

ACCESSORIES Sold Separately



See **page 10** for access door details.

Access Door w/Vents Model FPI - D, D/S




See **page 12** for grill filler piece dimensions.



Grill Filler Piece

Note:

This built-in grill head insert shown for display purposes only.



Built-In Grill Head Insert



Grill Station Counter Top


See **page 12** for counter top dimensions.

Stonegate Note:

This Outdoor Living Element design uses Stonegate No-Cut Designs accessories. See Stonegate No-Cut accessories list for qualifying manufacturers and models.

Note:

See 6th Course Counter Top Layout Details for counter top and grill filler piece dimensions and details.



Grill Station Base Back Isometric


Outdoor Grill Station Quantity Totals:

Stonegate Unit quantities as follows:

- Large Unit "A" - $16"/14" = 56$ Units
- Medium Unit "B" - $12"/10" = 56$ Units
- Small Unit "C" - $6"/4" = 57$ Units

Note:


Structural support for block units over openings not shown for visual purposes.




Grill Station Base Front Isometric

General Note:


In consideration of freeze / thaw issues during the cold weather season it is recommended that this outdoor Built-In Grill Station element be protected from rain, snow and ice as necessary.




Foundation Isometric




Foundation Plan



1st Course Isometric



1st Course Plan



Ventilation Note:

The grill head insert manufacturer may recommend ventilation of the interior grill station area from a potential gas build up. If so, depending on the recommendations, one or two blocks from either the 1st course or 2nd course may be removed as needed. Only remove blocks from one chosen course. Blocks marked with angular hatching are designated for removal as required on this course.

As needed a small animal screen insert can be supplied to place in the block removal area.

If the 2nd course is to be used for venting, place and carefully compact crushed stone or similar material to form a dense floor in the entire 1st course interior open area of the grill station.


The removed 2nd course blocks may be place in the 1st course interior open area in conjunction with fill material or in the fireplace element itself as needed.

Note:

This Grill Station design uses Keystone Stonegate units.

Units shown are dimensioned as follows:

- Large Unit "A" - 16"/14"
- Medium Unit "B" - 12"/10"
- Small unit "C" - 6"/4"
- All Units are 10" in depth / 6" in height



2nd Course Plan


Ventilation Note:



The grill head insert manufacturer may recommend ventilation of the interior grill station area from a potential gas build up. If so, depending on the recommendations, one or two blocks from either the 1st course or 2nd course may be removed as needed. Only remove blocks from one chosen course. Blocks marked with angular hatching are designated for removal as required on this course.


As needed a small animal screen insert can be supplied to place in the block removal area.

If the 2nd course is to be used for venting, place and carefully compact crushed stone or similar material to form a dense floor in the entire 1st course interior open area of the grill station.


The removed 2nd course blocks may be place in the 1st course interior open area in conjunction with fill material or in the fireplace element itself as needed.








5th Course Isometric




5th Course Plan


Keystone Stonegate Units (Typ.)



Access Door Installation Note:

Align the access door in the door opening so that the access door top support flanges of the door frame are resting on top of the 5th course blocks. Make sure the top support flanges are bearing equally on the blocks on both sides of the opening and they also are 5" back from the outside face of the blocks to the center of the flange so the 6th course block pin connecting channels will be centered over the top support flanges. After the 6th course blocks are placed, if needed, reposition the access door assembly and secure in place as instructed.





Counter Top Installation Note:

Unless otherwise directed install and secure counter top with approved adhesive or bonding agent.


Note:

This Grill Station design uses Keystone Stonegate units.

Units shown are dimensioned as follows:


- Large Unit "A" - 16"/14"
- Medium Unit "B" - 12"/10"
- Small unit "C" - 6"/4"
- All Units are 10" in depth / 6" in height

6th Course Counter Top Plan



Grill Filler Piece Note:

Filler piece is from 5th course layout below. It is to be made from the same material as the counter top, (1"± thick). Secure filler piece with approved adhesive or bonding agent.



Grill Filler Piece Plan View Detail