






KEYSTONE OUTDOOR KITCHEN - LINEAR DESIGN





You will need:

- 55 16"/14"w Large units
- 57 12"/10"w Medium units
- 57 6"/4"w Small units
- Leveling Pad Material 17 cf
- 200 ± Keystone Interlocking Pins* (50/bag)
- 4 Tubes ± Exterior Grade Construction Adhesive
- Built-in Grill* (30¾"w x 20"d x 91/8"h rough opening)
- Access Door* (15¾"w x 22"h rough opening)
- Upper Counter Material 91" x 18"
- Lower Counter Material 91" x 271/2"
- *Modify rough opening sizes in both the block units and counter top to accommodate different sized appliances, if needed.

Notes:

- All Keystone Stonegate units are 6"h x 10"d.
- * Keystone recommends the use of its interlocking pins when alignment allows. Use pins in conjunction with concrete adhesive to maximize stability of your structure.

Grill Station Kit Front Isometric

Note:


This design uses a Outdoor Stainless Steel Built-In Grill Insert w/Stainless Steel Accessories.

Access Door Installation Note:


After built-in grill is installed, adjust doors w/frame vertically to desired position. Shim frame as needed. Fill top and or bottom exposed openings w/stainless steel trim as needed.


General Note:

In consideration of freeze / thaw issues during the cold weather season it is recommended that this outdoor built-in grill station element be protected from rain, snow and ice as necessary.




KEYSTONE OUTDOOR KITCHEN - LINEAR DESIGN





Grill Station Kit Clearance Side Elevation

Foundation Isometric



On Grade Installation Note:

If the Grill Station is to be built on top of a stable patio or hardscape surface eliminate the 1st course and base leveling pad from the grill station design.


Appliance Service Note:

Plan and install gas, electrical, water and drain service prior to and during construction as needed.


Foundation Plan

Remember to:

- Call 811 to locate utility lines prior to digging.
- Follow manufacturer's instructions and local codes.



1st Course Isometric




Grill Kit Width Note:


Due to block outside face texture variances when building the grill station kit courses the outside dimensions of the courses may get wider than desired. If required cut a interior perimeter unit to get the required outside dimension.

On Grade Installation Note:

If the Grill Station is to be built on top of a stable patio or hardscape surface eliminate the 1st course and base leveling pad from the grill station design.




2nd Course Isometric




Block Cutting Note:

Using a concrete saw or wheel grinder tool w/masonry disk, cut block units as needed. Block units to be cut due to obstruction are labeled with solid hatching. Block units to be cut to fit are labeled with angular hatching.

2nd Course Plan



3rd Course Isometric




Block Cutting Note:


Using a concrete saw or wheel grinder tool w/masonry disk, cut block units as needed. Block units to be cut due to obstruction are labeled with solid hatching. Block units to be cut to fit are labeled with angular hatching.

Block Cutting for Appliances Note:

See appliance manufacturers installation instructions for correct block cutting to allow for proper fit for appliances.



4th Course Isometric




Block Cutting Note:

Using a concrete saw or wheel grinder tool w/masonry disk, cut block units as needed. Block units to be cut due to obstruction are labeled with solid hatching. Block units to be cut to fit are labeled with angular hatching.


Block Cutting for Appliances Note:

See appliance manufacturers installation instructions for correct block cutting to allow for proper fit for appliances.



4th Course Plan

5th Course Isometric




Block Cutting Note:

Using a concrete saw or wheel grinder tool w/masonry disk, cut block units as needed. Block units to be cut due to obstruction are labeled with solid hatching. Block units to be cut to fit are labeled with angular hatching.


Block Cutting for Appliances Note:

See appliance manufacturers installation instructions for correct block cutting to allow for proper fit for appliances.



www.keystonehardscapes.com Keystone Step-by-StepKits 11

6th Course Isometric



Block Cutting Note:

Using a concrete saw or wheel grinder tool w/masonry disk, cut block units as needed. Block units to be cut due to obstruction are labeled with solid hatching. Block units to be cut to fit are labeled with angular hatching.


Block Cutting for Appliances Note:

See appliance manufacturers installation instructions for correct block cutting to allow for proper fit for appliances.

Grill Station Grill Gas Tank or Storage Access and Built-In Grill Insert Opening Cut to Allow for Access Doors Install This Unit Upside Down so the Block Channel is Facing Up 36" Grill Station Kit °° 。。 %° 31" Opening 88" (7'-4") Grill Station Kit

6th Course Plan

7th Course Isometric



7th Course Plan


Install This Unit Upside Down so the Block Channel is Facing Up

Block Cutting Note:


Using a concrete saw or wheel grinder tool w/masonry disk, cut block units as needed. Block units to be cut due to obstruction are labeled with solid hatching. Block units to be cut to fit are labeled with angular hatching.

Block Cutting for Appliances Note:

See appliance manufacturers installation instructions for correct block cutting to allow for proper fit for appliances.



www.keystonehardscapes.com



Suggested Counter Top Joint Locations (See Counter Top Installation Note) 6th Course Below 7th Course Below

7th Course Base


Counter Top Cutting for Appliances Note:

See appliance manufacturers installation instructions for correct counter top opening sizes. Cut to allow for proper fit for appliances. Unless otherwise directed, use a concrete saw or wheel grinder tool w/masonry disk to cut the counter top as needed.

Counter Top Installation Note:


Depending on the type of counter top material used the counter top may be installed in multiple pieces as needed. Joints shown with dashed lines are suggested locations only.

Unless otherwise directed install and secure counter top material with adhesive as per manufacturers installation instructions.



www.keystonehardscapes.com Keystone Step-by-StepKits 15

8th Course Isometric



8th Course Back Wall Counter Top Isometric Counter Top Cutting Note: Suggested Counter Top Joint Location (See Counter Top Installation Note) Unless otherwise directed, use a concrete saw or wheel grinder tool w/masonry disk to cut the counter top as needed. 8th Course Back Wall Below Counter Top Installation Note: Depending on the type of counter top material used the counter top may be installed in multiple pieces Grill Station Back Wall as needed. Joints shown with dashed lines are Counter Top Material suggested locations only. Counter Top Support Note: Provide under counter support as needed depending on the over hang of the counter and the type of counter top material used. 6th Course Below Unless otherwise directed install and secure counter top material with exterior grade construction adhesive per manufacturers installation instructions. 7th Course w/Base Counter Top Below 91" (7'-7") Back Wall Counter Top 1 1/2" 88" (7'-4") 8th Course Back Wall Below — 1 1/2" 8th Course Back Wall Below 6 1/2" (See Counter Top Support Note) Grill Station Back Wall 18" Back Wall Counter Top Counter Top Material 10" 8th Course Back Wall Below 10" 8th Course Back Wall Below 8th Course Back Wall 36" Grill Station Kit Below Counter Top Plan 1/2 Suggested Counter Top Joint Location (See Counter Top

7th Course w/Base

Counter Top Below

www.keystonehardscapes.com Keystone Step-by-StepKits 17

Installation Note)

88" (7'-4") Grill Station Kit Below