

ADJACENT SIDEWALK
CONCRETE CURB AND GUTTER

EXPANSION JOINT

CONCRETE CURB AND GUTTER
PER LOCAL STANDARDS

1/2" (12MM) O.D. DRAINAGE WEEP
(UPC PIPE) @ 36" (915MM) C/C
CONNECT TO DRAIN STRUCTURE

GEOTEXTILE TURNED UP AT SIDES
AND TO COVER END OF WEEPS

CONCRETE PAVER
3 1/8" (80MM) MINIMUM THICKNESS


BEDDING SAND
APPROXIMATELY 1" TO 1 1/2"
(25-40MM)

CONCRETE PAVEMENT

SUB-BASE

COMPACTED SOIL SUBGRADE

3" (75MM) O.D. PVC PIPE/ CONNECT TO STORM SYSTEM



Copyright 2018 Keystone Retaining Wall Systems, LLC
The suitability and/or manner of use of any details contained in this document is the sole responsibility of the user.
Final project specific designs shall be prepared by a licensed professional Engineer or Architect.



4444 W 78th Street
Minneapolis, MN 55435
952-897-1040

Designed By:
RKM

Checked By:

Scale:
NO SCALE

Title: DRAINAGE WEEPS FOR MONOLITHIC CURB
AND GUTTER ON PC CONCRETE PAVEMENT
(WITH SIDEWALK)

Project:
KEYSTONE HARDSCAPES CONCRETE PAVER

Date:
03-2019

Revision:

Drawing No:
1 of 1